BY KEMP SAILS



MADE IN BRITAIN

WIRE GRIPS

INSTRUCTION MANUAL

HOW TO MAKE STRONG FIXING EYES IN WIRE ROPE

The Sail Loft, Unit 16, Sandford Lane Industrial Estate, Wareham, Dorset BH20 4DY

Phone: +44 (0)1929 554308 www.shade-solutions.com



DUPLEX WIRE ROPE GRIPS



MADE IN BRITAIN

FITTING INSTRUCTIONS

Stainless Steel wire rope grips are extremely useful for a quick and easy way to create eyelets in wire rope.

No specialist tools are required to fit, wire ropes can be cut and gripped on site to the exact length required using simple household tools.


Tools you will need:-

Spanner
 Hammer
 Metal File
 Tape Measure
 Fine Tooth Hacksaw
 Wire Cutters

For each wire eye, you will require one stainless steel thimble to suit 5mm wire and one 5mm duplex grip. (For example, attach the eye at one end of the wire to a turnbuckle to enable the wire to be tensioned. Then add a small shackle to the eye at opposite end as a connector between the wire and post eyes.)


STEP 1

Open up the wire grip and insert wire...



STEP 2

Loop the end through the grip, ensure the loop is large enough to insert the thimble...



The Sail Loft, Unit 16, Sandford Lane Industrial Estate, Wareham, Dorset BH20 4DY

Phone: +44 (0)1929 554308 www.shade-solutions.com



FITTING INSTRUCTIONS



STEP 3

MADE IN BRITAIN

Adjust the wire loop to fit the thimble groove. Replace the grip plate and tighten the nuts securely...




STEP 4

Optional, but advisable for a better finish with no sharp edges, more importantly a securely gripped wire; cut down the screw to approx. one thread above the nut. File down the thread to remove sharp edges and strike firmly with a hammer to 'dome' the bolt thread over the nut, which prevents the fixings from winding open...



FINALLY...

Duplex wire grip fitted securely and ready for use...



Duplex grips are not suitable for use with construction cables or lifting applications.

The Sail Loft, Unit 16, Sandford Lane Industrial Estate, Wareham, Dorset BH20 4DY

Phone: +44 (0)1929 554308 www.shade-solutions.com

